


Fig. 1

Codon Usage Frequencies


Amino Acid	pNL4-3 gagpol	mam	Amino Acid	pNL4-3 gagpol	mam	Amino Acid	pNL4-3 gagpol	mam
gca Ala(A)	58	13	gga Gly(G)	55	14	cca Pro(P)	53	16
gcc Ala(A)	23	53	ggc Gly(G)	12	50	ccc Pro(P)	17	48
gcg Ala(A)	5	17	ggg Gly(G)	27	24	ccg Pro(P)	2	17
gcu Ala(A)	14	17	ggu Gly(G)	6	12	ccu Pro(P)	27	19
aga Arg(R)	63	10	cac Hi s(H)	24	79	agc Ser(S)	29	34
agg Arg(R)	30	18	cau Hi s(H)	76	21	agu Ser(S)	26	10
cga Arg(R)	4	6				uca Ser(S)	26	5
cgc Arg(R)	0	37	aua Ile(I)	57	5	ucc Ser(S)	7	28
cgg Arg(R)	3	21	auc Ile(I)	17	77	ucg Ser(S)	4	9
cgu Arg(R)	0	7	auu Ile(I)	26	18	ucu Ser(S)	6	13
aac Asn(N)	27	78	cua Leu(L)	15	3	aca Thr(T)	52	14
aaU Asn(N)	73	22	cuc Leu(L)	10	26	acc Thr(T)	18	57
gac Asp(D)	40	75	cug Leu(L)	11	58	acg Thr(T)	1	15
gau Asp(D)	60	25	cuu Leu(L)	11	5	acu Thr(T)	29	14
ugc Cys(C)	14	68	uua Leu(L)	40	2	ugg Trp(W)	100	100
ugu Cys(C)	26	32	uug Leu(L)	13	6			
caa Gln(Q)	56	12	aaa Lys(K)	69	18	uac Tyr(Y)	26	74
cag Gln(Q)	44	88	aag Lys(K)	31	82	uau Tyr(Y)	74	26
			aug Met(M)	100	100	gua Val(V)	58	5
						guc Val(V)	13	25
gaa Glu(E)	70	25	uuc Phe(F)	40	80	gug Val(V)	16	64
gag Glu(E)	30	75	uuu Phe(F)	60	20	guu Val(V)	14	7

Fig. 2


HIV provirus




pCMV ΔR8.2



pHR'-CMV-LacZ



pMD.G



(Naldini et al, Science 272:263, 1996)

Fig. 3

Rev

- **Regulates HIV gene expression by promoting cytoplasmic levels of unspliced and singly spliced mRNAs**
- **Postulated to affect splicing, stability, transport, and translation**

Fig. 4

Codon Optimization of HIV *gagpol*

- **Remove A-rich instability elements**
- **Improve translational efficiency**
- **Reduce risk of recombination with transfer vector**

Fig. 5

Inactivation of Inhibitory Sequences in *gag*

Schwartz, S., *et al.*

336 atg ggt gcg aga gcg tca gta tta agc ggg gga gaa tta gat cga tgg gaa aaa att cgg
396 **M1**
tta agg cca ggg gga aag aaa tat aaa tta aaa cat ata gta tgg gca agc agg gag
456 G G C GC G C C
cta gaa cga ttc gca gtt aat cct ggc ctg tta gaa aca tca gaa ggc tgt aga caa ata
516 **M2**
ctg gga cag cta caa cca tcc ctt cag aca gga tca gaa gaa ctt aga tca tta tat aat
576 **M3** G G C C C C
aca gta gca acc ctc tat tgt gtg cat caa agg ata gag ata aaa gac acc aag gaa gct
C GC C C G
636 **M4**
tta gac aag ata gag gaa gag caa aac aaa agt aag aaa aaa gca cag caa gca gca gct
696 GTCC G G C G
gac aca gga cac agc aat cag gtc agc caa aat tac

Fig. 6

Nucleotide Content of HIV *gag* pol




Fig. 7

Fig. 8A

Alignment Report of Codon optimization (gag).MEG, using Clustal method with PAM250 residue weight table.

	1170															
1152	D	T	G	N	N	S	Q	V	S	Q	N	Y	P	I	V	NL4-3 genbank.SEQ
1152	GAC	ACA	GGA	AAC	AAC	AGC	CAG	GTC	AGC	CAA	AAT	TAC	CCT	ATA	GTG	
1679	D	T	G	N	N	S	Q	V	S	Q	N	Y	P	I	V	pHDMHgpm2.seq
1679	GAC	ACC	GGC	AAC	AAC	TCC	CAG	GTG	TCC	CAG	AAC	TAC	CCC	ATC	GTG	
	1200							1230								
1197	Q	N	L	Q	G	Q	M	V	H	Q	A	I	S	P	R	NL4-3 genbank.SEQ
1197	CAG	AAC	CTC	CAG	GGG	CAA	ATG	GTA	CAT	CAG	GCC	ATA	TCA	CCT	AGA	
1724	Q	N	L	Q	G	Q	M	V	H	Q	A	I	S	P	R	pHDMHgpm2.seq
1724	CAG	AAC	CTG	CAG	GGC	CAG	ATG	GTG	CAC	CAG	GCC	ATC	TCC	CCC	CGC	
	1260															
1242	T	L	N	A	W	V	K	V	V	E	E	K	A	F	S	NL4-3 genbank.SEQ
1242	ACT	TTA	AAT	GCA	TGG	GTA	AAA	GTA	GTA	GAA	GAG	AAG	GCT	TTC	AGC	
1769	T	L	N	A	W	V	K	V	V	E	E	K	A	F	S	pHDMHgpm2.seq
1769	ACC	CTG	AAC	GCC	TGG	GTG	AAG	GTG	GTG	GAG	GAG	AAG	GCC	TTC	TCC	
	1290							1320								
1287	P	E	V	I	P	M	F	S	A	L	S	E	G	A	T	NL4-3 genbank.SEQ
1287	CCA	GAA	GTA	ATA	CCC	ATG	TTT	TCA	GCA	TTA	TCA	GAA	GGA	GCC	ACC	
1814	P	E	V	I	P	M	F	S	A	L	S	E	G	A	T	pHDMHgpm2.seq
1814	CCC	GAA	GTC	ATC	CCC	ATG	TTC	TCC	GCC	CTG	TCC	GAG	GGC	GCC	ACC	
	1350															
1332	P	Q	D	L	N	T	M	L	N	T	V	G	G	H	Q	NL4-3 genbank.SEQ
1332	CCA	CAA	GAT	TTA	AAT	ACC	ATG	CTA	AAC	ACA	GTG	GGG	GGA	CAT	CAA	
1859	P	Q	D	L	N	T	M	L	N	T	V	G	G	H	Q	pHDMHgpm2.seq
1859	CCC	CAG	GAC	CTG	AAC	ACC	ATG	CTG	AAC	ACC	GTG	GGC	GGC	CAC	CAG	
	1380							1410								
1377	A	A	M	Q	M	L	K	E	T	I	N	E	E	A	A	NL4-3 genbank.SEQ
1377	GCA	GCC	ATG	CAA	ATG	TTA	AAA	GAG	ACC	ATC	AAT	GAG	GAA	GCT	GCA	
1904	A	A	M	Q	M	L	K	E	T	I	N	E	E	A	A	pHDMHgpm2.seq
1904	GCC	GCC	ATG	CAG	ATG	CTG	AAG	GAG	ACC	ATC	AAC	GAG	GAG	GCC	GCC	
	1440															
1422	E	W	D	R	L	H	P	V	H	A	G	P	I	A	P	NL4-3 genbank.SEQ
1422	GAA	TGG	GAT	AGA	TTG	CAT	CCA	GTG	CAT	GCA	GGG	CCT	ATT	GCA	CCA	
1949	E	W	D	R	L	H	P	V	H	A	G	P	I	A	P	pHDMHgpm2.seq
1949	GAG	TGG	GAC	CGC	CTG	CAC	CCC	GTG	CAC	GCC	GGC	CCC	ATC	GCC	CCC	
	1470							1500								
1467	G	Q	M	R	E	P	R	G	S	D	I	A	G	T	T	NL4-3 genbank.SEQ
1467	GGC	CAG	ATG	AGA	GAA	CCA	AGG	GGA	AGT	GAC	ATA	GCA	GGA	ACT	ACT	
1994	G	Q	M	R	E	P	R	G	S	D	I	A	G	T	T	pHDMHgpm2.seq
1994	GGC	CAG	ATG	CGC	GAG	CCC	CGC	GGC	TCC	GAC	ATC	GCC	GGC	ACC	ACC	

Fig. 8B

Alignment Report of Codon optimization (gag).MEG, using Clustal method with PAM250 residue weight table.

1530																
1512	S	T	L	Q	E	Q	I	G	W	M	T	H	N	P	P	NL4-3 genbank.SEQ
1512	AGT	ACC	CTT	CAG	GAA	CAA	ATA	GGA	TGG	ATG	ACA	CAT	AAT	CCA	CCT	
2039	S	T	L	Q	E	Q	I	G	W	M	T	H	N	P	P	pHDMHgpm2.seq
2039	TCC	ACC	CTG	CAA	GAG	CAG	ATC	GGC	TGG	ATG	ACC	CAC	AAC	CCC	CCC	
1560								1590								
1557	I	P	V	G	E	I	Y	K	R	W	I	I	L	G	L	NL4-3 genbank.SEQ
1557	ATC	CCA	GTA	GGA	GAA	ATC	TAT	AAA	AGA	TGG	ATA	ATC	CTG	GGA	TTA	
2084	I	P	V	G	E	I	Y	K	R	W	I	I	L	G	L	pHDMHgpm2.seq
2084	ATC	CCC	GTG	GGC	GAG	ATC	TAC	AAG	CGC	TGG	ATC	ATC	CTG	GGC	CTG	
1620																
1602	N	K	I	V	R	M	Y	S	P	T	S	I	L	D	I	NL4-3 genbank.SEQ
1602	AAT	AAA	ATA	GTA	AGA	ATG	TAT	AGC	CCT	ACC	AGC	ATT	CTG	GAC	ATA	
2129	N	K	I	V	R	M	Y	S	P	T	S	I	L	D	I	pHDMHgpm2.seq
2129	AAC	AAG	ATC	GTG	CGC	ATG	TAC	TCC	CCC	ACC	TCC	ATC	CTG	GAC	ATC	
1650								1680								
1647	R	Q	G	P	K	E	P	F	R	D	Y	V	D	R	F	NL4-3 genbank.SEQ
1647	AGA	CAA	GGA	CCA	AAG	GAA	CCC	TTT	AGA	GAC	TAT	GTA	GAC	CGA	TTC	
2174	R	Q	G	P	K	E	P	F	R	D	Y	V	D	R	F	pHDMHgpm2.seq
2174	CGC	CAG	GGC	CCC	AAG	GAG	CCC	TTC	CGC	GAC	TAC	GTG	GAC	CGC	TTC	
1710																
1692	Y	K	T	L	R	A	E	Q	A	S	Q	E	V	K	N	NL4-3 genbank.SEQ
1692	TAT	AAA	ACT	CTA	AGA	GCC	GAG	CAA	GCT	TCA	CAA	GAG	GTA	AAA	AAT	
2219	Y	K	T	L	R	A	E	Q	A	S	Q	E	V	K	N	pHDMHgpm2.seq
2219	TAC	AAG	ACC	CTG	CGC	GCC	GAG	CAG	GCC	TCC	CAG	GAG	GTA	AAG	AAC	
1740								1770								
1737	W	M	T	E	T	L	L	V	Q	N	A	N	P	D	C	NL4-3 genbank.SEQ
1737	TGG	ATG	ACA	GAA	ACC	TTG	TTG	GTC	CAA	AAT	GCG	AAC	CCA	GAT	TGT	
2264	W	M	T	E	T	L	L	V	Q	N	A	N	P	D	C	pHDMHgpm2.seq
2264	TGG	ATG	ACC	GAG	ACC	CTG	CTG	GTG	CAG	AAC	GCC	AAC	CCC	GAC	TGC	
1800																
1782	K	T	I	L	K	A	L	G	P	G	A	T	L	E	E	NL4-3 genbank.SEQ
1782	AAG	ACT	ATT	TTA	AAA	GCA	TTG	GGA	CCA	GGA	GCG	ACA	CTA	GAA	GAA	
2309	K	T	I	L	K	A	L	G	P	G	A	T	L	E	E	pHDMHgpm2.seq
2309	AAG	ACC	ATC	CTG	AAG	GCC	CTG	GGC	CCC	GGC	GCC	ACC	CTG	GAG	GAG	
1830								1860								
1827	M	M	T	A	C	Q	G	V	G	G	P	G	H	K	A	NL4-3 genbank.SEQ
1827	ATG	ATG	ACA	GCA	TGT	CAG	GGA	GTG	GGG	GGA	CCC	GGC	CAT	AAA	GCA	
2354	M	M	T	A	C	Q	G	V	G	G	P	G	H	K	A	pHDMHgpm2.seq
2354	ATG	ATG	ACC	GCC	TGC	CAG	GGC	GTG	GGC	GGC	CCC	GGC	CAC	AAG	GCC	

Fig. 8C

09393795-091099

Alignment Report of Codon optimization (gag).MEG, using Clustal method with PAM250 residue weight table.

1890																
1872	R	V	L	A	E	A	M	S	Q	V	T	N	P	A	T	NL4-3 genbank.SEQ
1872	AGA	GTT	TTG	GCT	GAA	GCA	ATG	AGC	CAA	GTA	ACA	AAT	CCA	GCT	ACC	
2399	R	V	L	A	E	A	M	S	Q	V	T	N	P	A	T	pHDMHgpm2.seq
2399	CGC	GTG	CTG	GCC	GAG	GCC	ATG	TCC	CAA	GTC	ACC	AAC	CCC	GCC	ACC	
1920																
1950																
1917	I	M	I	Q	K	G	N	F	R	N	Q	R	K	T	V	NL4-3 genbank.SEQ
1917	ATA	ATG	ATA	CAG	AAA	GGC	AAT	TTT	AGG	AAC	CAA	AGA	AAG	ACT	GTT	
2444	I	M	I	Q	K	G	N	F	R	N	Q	R	K	T	V	pHDMHgpm2.seq
2444	ATC	ATG	ATC	CAG	AAG	GGC	AAC	TTC	CGC	AAC	CAG	CGC	AAG	ACC	GTG	
1980																
1962	K	C	F	N	C	G	K	E	G	H	I	A	K	N	C	NL4-3 genbank.SEQ
1962	AAG	TGT	TTC	AAT	TGT	GGC	AAA	GAA	GGG	CAC	ATA	GCC	AAA	AAT	TGC	
2489	K	C	F	N	C	G	K	E	G	H	I	A	K	N	C	pHDMHgpm2.seq
2489	AAG	TGC	TTC	AAC	TGC	GGC	AAG	GAG	GGC	CAC	ATC	GCC	AAG	AAC	TGC	
2010																
2040																
2007	R	A	P	R	K	K	G	C	W	K	C	G	K	E	G	NL4-3 genbank.SEQ
2007	AGG	GCC	CCT	AGG	AAA	AAG	GGC	TGT	TGG	AAA	TGT	GGA	AAG	GAA	GGA	
2534	R	A	P	R	K	K	G	C	W	K	C	G	K	E	G	pHDMHgpm2.seq
2534	CGC	GCC	CCC	CGC	AAG	AAG	GGC	TGC	TGG	AAG	TGC	GGC	AAG	GAG	GGC	
2070																
2052	H	Q	M	K	D	C	T	E	R	Q	A	N	F	L	G	NL4-3 genbank.SEQ
2052	CAC	CAA	ATG	AAA	GAT	TGT	ACT	GAG	AGA	CAG	GCT	AAT	TTT	TTA	GGG	
2579	H	Q	M	K	D	C	T	E	R	Q	A	N	F	L	G	pHDMHgpm2.seq
2579	CAC	CAG	ATG	AAA	GAT	TGT	ACT	GAG	AGA	CAG	GCT	AAT	TTT	TTA	GGG	
2100																
2130																
2097	K	I	W	P	S	H	K	G	R	P	G	N	F	L	Q	NL4-3 genbank.SEQ
2097	AAG	ATC	TGG	CCT	TCC	CAC	AAG	GGA	AGG	CCA	GGG	AAT	TTT	CTT	CAG	
2624	K	I	W	P	S	H	K	G	R	P	G	N	F	L	Q	pHDMHgpm2.seq
2624	AAG	ATC	TGG	CCT	TCC	CAC	AAG	GGA	AGG	CCA	GGG	AAT	TTT	CTT	CAG	
2160																
2142	S	R	P	E	P	T	A	P	P	E	E	S	F	R	F	NL4-3 genbank.SEQ
2142	AGC	AGA	CCA	GAG	CCA	ACA	GCC	CCA	CCA	GAA	GAG	AGC	TTC	AGG	TTT	
2669	S	R	P	E	P	T	A	P	P	E	E	S	F	R	F	pHDMHgpm2.seq
2669	AGC	AGA	CCA	GAG	CCA	ACA	GCC	CCA	CCA	GAA	GAG	AGC	TTC	AGG	TTT	
2190																
2220																
2187	G	E	E	T	T	T	P	S	Q	K	Q	E	P	I	D	NL4-3 genbank.SEQ
2187	GGG	GAA	GAG	ACA	ACA	ACT	CCC	TCT	CAG	AAG	CAG	GAG	CCG	ATA	GAC	
2714	G	E	E	T	T	T	P	S	Q	K	Q	E	P	I	D	pHDMHgpm2.seq
2714	GGG	GAA	GAG	ACA	ACA	ACT	CCC	TCT	CAG	AAG	CAG	GAG	CCG	ATA	GAC	

Fig. 8D

Alignment Report of Codon optimization (gag).MEG, using Clustal method with PAM250 residue weight table.

2250																
2232	K	E	L	Y	P	L	A	S	L	R	S	L	F	G	S	NL4-3 genbank.SEQ
2232	AAG	GAA	CTG	TAT	CCT	TTA	GCT	TCC	CTC	AGA	TCA	CTC	TTT	GGC	AGC	
2759	K	E	L	Y	P	L	A	S	L	R	S	L	F	G	S	pHDMHgpm2.seq
2759	AAG	GAA	CTG	TAT	CCT	TTA	GCT	TCC	CTC	AGA	TCA	CTC	TTT	GGC	AGC	
<hr/>																
2280																
2277	D	P	S	S	Q											NL4-3 genbank.SEQ
2277	GAC	CCC	TCG	TCA	CAA	TAA										
2804	D	P	S	S	Q											pHDMHgpm2.seq
2804	GAC	CCC	TCG	TCA	CAA	TAA										

Fig. 8E

09393795-091099

Alignment Report of Codon Optimization (pol).MEG, using Clustal method with PAM250 residue weight table.

	2090														2120														
2087	F	F	R	E	D	L	A	F	P	Q	G	K	A	R	E	NL4-3 genbank.SEQ													
2087	TTT	TTT	AGG	GAA	GAT	CTG	GCC	TTC	CCA	CAA	GGG	AAG	GCC	AGG	GAA														
2085	F	F	R	E	D	L	A	F	P	Q	G	K	A	R	E	pNL4-3.seq													
2085	TTT	TTT	AGG	GAA	GAT	CTG	GCC	TTC	CCA	CAA	GGG	AAG	GCC	AGG	GAA														
2612	F	F	R	E	D	L	A	F	P	Q	G	K	A	R	E	pHDMHgpm2.seq													
2612	TTT	TTT	AGG	GAA	GAT	CTG	GCC	TTC	CCA	CAA	GGG	AAG	GCC	AGG	GAA														
	2150																												
2132	F	S	S	E	Q	T	R	A	N	S	P	T	R	R	E	NL4-3 genbank.SEQ													
2132	TTT	TCT	TCA	GAG	CAG	ACC	AGA	GCC	AAC	AGC	CCC	ACC	AGA	AGA	GAG														
2130	F	S	S	E	Q	T	R	A	N	S	P	T	R	R	E	pNL4-3.seq													
2130	TTT	TCT	TCA	GAG	CAG	ACC	AGA	GCC	AAC	AGC	CCC	ACC	AGA	AGA	GAG														
2657	F	S	S	E	Q	T	R	A	N	S	P	T	R	R	E	pHDMHgpm2.seq													
2657	TTT	TCT	TCA	GAG	CAG	ACC	AGA	GCC	AAC	AGC	CCC	ACC	AGA	AGA	GAG														
	2180														2210														
2177	L	Q	V	W	G	R	D	N	N	S	L	S	E	A	G	NL4-3 genbank.SEQ													
2177	CTT	CAG	GTT	TGG	GGA	AGA	GAC	AAC	AAC	TCC	CTC	TCA	GAA	GCA	GGA														
2175	L	Q	V	W	G	R	D	N	N	S	L	S	E	A	G	pNL4-3.seq													
2175	CTT	CAG	GTT	TGG	GGA	AGA	GAC	AAC	AAC	TCC	CTC	TCA	GAA	GCA	GGA														
2702	L	Q	V	W	G	R	D	N	N	S	L	S	E	A	G	pHDMHgpm2.seq													
2702	CTT	CAG	GTT	TGG	GGA	AGA	GAC	AAC	AAC	TCC	CTC	TCA	GAA	GCA	GGA														
	2240																												
2222	A	D	R	Q	G	T	V	S	F	S	F	P	Q	I	T	NL4-3 genbank.SEQ													
2222	GCC	GAT	AGA	CAA	GGA	ACT	GTA	TCC	TTT	AGC	TTC	CCT	CAG	ATC	ACT														
2220	A	D	R	Q	G	T	V	S	F	S	F	P	Q	I	T	pNL4-3.seq													
2220	GCC	GAT	AGA	CAA	GGA	ACT	GTA	TCC	TTT	AGC	TTC	CCT	CAG	ATC	ACT														
2747	A	D	R	Q	G	T	V	S	F	S	F	P	Q	I	T	pHDMHgpm2.seq													
2747	GCC	GAT	AGA	CAA	GGA	ACT	GTA	TCC	TTT	AGC	TTC	CCT	CAG	ATC	ACT														
	2270														2300														
2267	L	W	Q	R	P	L	V	T	I	K	I	G	G	Q	L	NL4-3 genbank.SEQ													
2267	CTT	TGG	CAG	CGA	CCC	CTC	GTC	ACA	ATA	AAG	ATA	GGG	GGG	CAA	TTA														
2265	L	W	Q	R	P	L	V	T	I	K	I	G	G	Q	L	pNL4-3.seq													
2265	CTT	TGG	CAG	CGA	CCC	CTC	GTC	ACA	ATA	AAG	ATA	GGG	GGG	CAA	TTA														
2792	L	W	Q	R	P	L	V	T	I	K	I	G	G	Q	L	pHDMHgpm2.seq													
2792	CTT	TGG	CAG	CGA	CCC	CTC	GTC	ACA	ATA	AAG	ATC	GGT	GGC	CAG	CTG														
	2330																												
2312	K	E	A	L	L	D	T	G	A	D	D	T	V	L	E	NL4-3 genbank.SEQ													
2312	AAG	GAA	GCT	CTA	TTA	GAT	ACA	GGA	GCA	GAT	GAT	ACA	GTA	TTA	GAA														
2310	K	E	A	L	L	D	T	G	A	D	D	T	V	L	E	pNL4-3.seq													
2310	AAG	GAA	GCT	CTA	TTA	GAT	ACA	GGA	GCA	GAT	GAT	ACA	GTA	TTA	GAA														
2837	K	E	A	L	L	D	T	G	A	D	D	T	V	L	E	pHDMHgpm2.seq													
2837	AAG	GAG	GCC	CTG	CTG	GAC	ACC	GGC	GCC	GAC	GAC	ACC	GTG	CTG	GAG														

Fig. 9A

660160:5626660

Alignment Report of Codon Optimization (pol).MEG, using Clustal method with PAM250 residue weight table.

	2360										2390										
2357	E	M	N	L	P	G	R	W	K	P	K	M	I	G	G	NL4-3 genbank.SEQ					
2357	GAA	ATG	AAT	TTG	CCA	GGA	AGA	TGG	AAA	CCA	AAA	ATG	ATA	GGG	GGA						
2355	E	M	N	L	P	G	R	W	K	P	K	M	I	G	G	pNL4-3.seq					
2355	GAA	ATG	AAT	TTG	CCA	GGA	AGA	TGG	AAA	CCA	AAA	ATG	ATA	GGG	GGA						
2882	E	M	N	L	P	G	R	W	K	P	K	M	I	G	G	pHDMHgpm2.seq					
2882	GAG	ATG	AAC	CTG	CCC	GGC	CGC	TGG	AAG	CCC	AAG	ATG	ATC	GGC	GGC						
	2420																				
2402	I	G	G	F	I	K	V	G	Q	Y	D	Q	I	L	I	NL4-3 genbank.SEQ					
2402	ATT	GGA	GGT	TTT	ATC	AAA	GTA	GGA	CAG	TAT	GAT	CAG	ATA	CTC	ATA						
2400	I	G	G	F	I	K	V	R	Q	Y	D	Q	I	L	I	pNL4-3.seq					
2400	ATT	GGA	GGT	TTT	ATC	AAA	GTA	AGA	CAG	TAT	GAT	CAG	ATA	CTC	ATA						
2927	I	G	G	F	I	K	V	R	Q	Y	D	Q	I	L	I	pHDMHgpm2.seq					
2927	ATC	GGC	GGC	TTC	ATC	AAA	GTC	CGC	CAG	TAC	GAC	CAG	ATC	CTG	ATC						
	2450										2480										
2447	E	I	C	G	H	K	A	I	G	T	V	L	V	G	P	NL4-3 genbank.SEQ					
2447	GAA	ATC	TGC	GGA	CAT	AAA	GCT	ATA	GGT	ACA	GTA	TTA	GTA	GGA	CCT						
2445	E	I	C	G	H	K	A	I	G	T	V	L	V	G	P	pNL4-3.seq					
2445	GAA	ATC	TGC	GGA	CAT	AAA	GCT	ATA	GGT	ACA	GTA	TTA	GTA	GGA	CCT						
2972	E	I	C	G	H	K	A	I	G	T	V	L	V	G	P	pHDMHgpm2.seq					
2972	GAG	ATC	TGC	GGC	CAC	AAG	GCC	ATC	GGC	ACC	GTG	CTG	GTG	GGC	CCC						
	2510																				
2492	T	P	V	N	I	I	G	R	N	L	L	T	Q	I	G	NL4-3 genbank.SEQ					
2492	ACA	CCT	GTC	AAC	ATA	ATT	GGA	AGA	AAT	CTG	TTG	ACT	CAG	ATT	GGC						
2490	T	P	V	N	I	I	G	R	N	L	L	T	Q	I	G	pNL4-3.seq					
2490	ACA	CCT	GTC	AAC	ATA	ATT	GGA	AGA	AAT	CTG	TTG	ACT	CAG	ATT	GGC						
3017	T	P	V	N	I	I	G	R	N	L	L	T	Q	I	G	pHDMHgpm2.seq					
3017	ACC	CCC	GTG	AAC	ATC	ATC	GGC	CGC	AAC	CTG	CTG	ACC	CAG	ATC	GGC						
	2540										2570										
2537	C	T	L	N	F	P	I	S	P	I	E	T	V	P	V	NL4-3 genbank.SEQ					
2537	TGC	ACT	TTA	AAT	TTT	CCC	ATT	AGT	CCT	ATT	GAG	ACT	GTA	CCA	GTA						
2535	C	T	L	N	F	P	I	S	P	I	E	T	V	P	V	pNL4-3.seq					
2535	TGC	ACT	TTA	AAT	TTT	CCC	ATT	AGT	CCT	ATT	GAG	ACT	GTA	CCA	GTA						
3062	C	T	L	N	F	P	I	S	P	I	E	T	V	P	V	pHDMHgpm2.seq					
3062	TGC	ACC	CTG	AAC	TTC	CCC	ATC	TCC	CCC	ATC	GAG	ACC	GTG	CCC	GTG						
	2600																				
2582	K	L	K	P	G	M	D	G	P	K	V	K	Q	W	P	NL4-3 genbank.SEQ					
2582	AAA	TTA	AAG	CCA	GGA	ATG	GAT	GGC	CCA	AAA	GTT	AAA	CAA	TGG	CCA						
2580	K	L	K	P	G	M	D	G	P	K	V	K	Q	W	P	pNL4-3.seq					
2580	AAA	TTA	AAG	CCA	GGA	ATG	GAT	GGC	CCA	AAA	GTT	AAA	CAA	TGG	CCA						
3107	K	L	K	P	G	M	D	G	P	K	V	K	Q	W	P	pHDMHgpm2.seq					
3107	AAG	CTG	AAG	CCC	GGC	ATG	GAC	GGC	CCC	AAA	GTC	AAG	CAG	TGG	CCC						

Fig. 9B

Alignment Report of Codon Optimization (pol).MEG, using Clustal method with PAM250 residue weight table.

2630															2660															
2627	L	T	E	E	K	I	K	A	L	V	E	I	C	T	E	NL4-3	genbank.SEQ													
2627	TTG	ACA	GAA	GAA	AAA	ATA	AAA	GCA	TTA	GTA	GAA	ATT	TGT	ACA	GAA															
2625	L	T	E	E	K	I	K	A	L	V	E	I	C	T	E	pNL4-3.seq														
2625	TTG	ACA	GAA	GAA	AAA	ATA	AAA	GCA	TTA	GTA	GAA	ATT	TGT	ACA	GAA															
3152	L	T	E	E	K	I	K	A	L	V	E	I	C	T	E	pHDMHgpm2.seq														
3152	CTG	ACC	GAG	GAG	AAG	ATC	AAG	GCC	CTG	GTG	GAG	ATC	TGC	ACC	GAG															
2690																														
2672	M	E	K	E	G	K	I	S	K	I	G	P	E	N	P	NL4-3	genbank.SEQ													
2672	ATG	GAA	AAG	GAA	GGA	AAA	ATT	TCA	AAA	ATT	GGG	CCT	GAA	AAT	CCA															
2670	M	E	K	E	G	K	I	S	K	I	G	P	E	N	P	pNL4-3.seq														
2670	ATG	GAA	AAG	GAA	GGA	AAA	ATT	TCA	AAA	ATT	GGG	CCT	GAA	AAT	CCA															
3197	M	E	K	E	G	K	I	S	K	I	G	P	E	N	P	pHDMHgpm2.seq														
3197	ATG	GAG	AAG	GAG	GGC	AAG	ATC	TCC	AAG	ATC	GGC	CCC	GAG	AAC	CCC															
2720															2750															
2717	Y	N	T	P	V	F	A	I	K	K	K	D	S	T	K	NL4-3	genbank.SEQ													
2717	TAC	AAT	ACT	CCA	GTA	TTT	GCC	ATA	AAG	AAA	AAA	GAC	AGT	ACT	AAA															
2715	Y	N	T	P	V	F	A	I	K	K	K	D	S	T	K	pNL4-3.seq														
2715	TAC	AAT	ACT	CCA	GTA	TTT	GCC	ATA	AAG	AAA	AAA	GAC	AGT	ACT	AAA															
3242	Y	N	T	P	V	F	A	I	K	K	K	D	S	T	K	pHDMHgpm2.seq														
3242	TAC	AAC	ACC	CCC	GTG	TTC	GCC	ATC	AAG	AAG	AAG	GAC	TCC	ACC	AAG															
2780																														
2762	W	R	K	L	V	D	F	R	E	L	N	K	R	T	Q	NL4-3	genbank.SEQ													
2762	TGG	AGA	AAA	TTA	GTA	GAT	TTC	AGA	GAA	CTT	AAT	AAG	AGA	ACT	CAA															
2760	W	R	K	L	V	D	F	R	E	L	N	K	R	T	Q	pNL4-3.seq														
2760	TGG	AGA	AAA	TTA	GTA	GAT	TTC	AGA	GAA	CTT	AAT	AAG	AGA	ACT	CAA															
3287	W	R	K	L	V	D	F	R	E	L	N	K	R	T	Q	pHDMHgpm2.seq														
3287	TGG	CGC	AAG	CTG	GTG	GAC	TTC	CGC	GAG	CTG	AAC	AAG	CGC	ACC	CAG															
2810															2840															
2807	D	F	W	E	V	Q	L	G	I	P	H	P	A	G	L	NL4-3	genbank.SEQ													
2807	GAT	TTC	TGG	GAA	GTT	CAA	TTA	GGA	ATA	CCA	CAT	CCT	GCA	GGG	TTA															
2805	D	F	W	E	V	Q	L	G	I	P	H	P	A	G	L	pNL4-3.seq														
2805	GAT	TTC	TGG	GAA	GTT	CAA	TTA	GGA	ATA	CCA	CAT	CCT	GCA	GGG	TTA															
3332	D	F	W	E	V	Q	L	G	I	P	H	P	A	G	L	pHDMHgpm2.seq														
3332	GAC	TTC	TGG	GAG	GTG	CAG	CTG	GGC	ATC	CCC	CAC	CCC	GCC	GGC	CTG															
2870																														
2852	K	Q	K	K	S	V	T	V	L	D	V	G	D	A	Y	NL4-3	genbank.SEQ													
2852	AAA	CAG	AAA	AAA	TCA	GTA	ACA	GTA	CTG	GAT	GTG	GGC	GAT	GCA	TAT															
2850	K	Q	K	K	S	V	T	V	L	D	V	G	D	A	Y	pNL4-3.seq														
2850	AAA	CAG	AAA	AAA	TCA	GTA	ACA	GTA	CTG	GAT	GTG	GGC	GAT	GCA	TAT															
3377	K	Q	K	K	S	V	T	V	L	D	V	G	D	A	Y	pHDMHgpm2.seq														
3377	AAG	CAG	AAG	AAG	TCC	GTG	ACC	GTG	CTG	GAC	GTG	GGC	GAC	GCC	TAC															

Fig. 9C

660160"56266660

Alignment Report of Codon Optimization (pol).MEG, using Clustal method with PAM250 residue weight table.

2900															2930															
2897	F	S	V	P	L	D	K	D	F	R	K	Y	T	A	F	NL4-3 genbank.SEQ														
2897	TTT	TCA	GTT	CCC	TTA	GAT	AAA	GAC	TTC	AGG	AAG	TAT	ACT	GCA	TTT															
2895	F	S	V	P	L	D	K	D	F	R	K	Y	T	A	F	pNL4-3.seq														
2895	TTT	TCA	GTT	CCC	TTA	GAT	AAA	GAC	TTC	AGG	AAG	TAT	ACT	GCA	TTT															
3422	F	S	V	P	L	D	K	D	F	R	K	Y	T	A	F	pHDMHgpm2.seq														
3422	TTC	TCC	GTG	CCC	CTG	GAC	AAG	GAC	TTC	CGC	AAG	TAC	ACC	GCC	TTC															
2960																														
2942	T	I	P	S	I	N	N	E	T	P	G	I	R	Y	Q	NL4-3 genbank.SEQ														
2942	ACC	ATA	CCT	AGT	ATA	AAC	AAT	GAG	ACA	CCA	GGG	ATT	AGA	TAT	CAG															
2940	T	I	P	S	I	N	N	E	T	P	G	I	R	Y	Q	pNL4-3.seq														
2940	ACC	ATA	CCT	AGT	ATA	AAC	AAT	GAG	ACA	CCA	GGG	ATT	AGA	TAT	CAG															
3467	T	I	P	S	I	N	N	E	T	P	G	I	R	Y	Q	pHDMHgpm2.seq														
3467	ACC	ATC	CCC	TCC	ATC	AAC	AAC	GAG	ACC	CCC	GGC	ATC	CGC	TAC	CAG															
2990															3020															
2987	Y	N	V	L	P	Q	G	W	K	G	S	P	A	I	F	NL4-3 genbank.SEQ														
2987	TAC	AAT	GTG	CTT	CCA	CAG	GGA	TGG	AAA	GGA	TCA	CCA	GCA	ATA	TTC															
2985	Y	N	V	L	P	Q	G	W	K	G	S	P	A	I	F	pNL4-3.seq														
2985	TAC	AAT	GTG	CTT	CCA	CAG	GGA	TGG	AAA	GGA	TCA	CCA	GCA	ATA	TTC															
3512	Y	N	V	L	P	Q	G	W	K	G	S	P	A	I	F	pHDMHgpm2.seq														
3512	TAC	AAC	GTG	CTG	CCC	CAG	GGC	TGG	AAG	GGC	TCC	CCC	GCC	ATC	TTC															
3050																														
3032	Q	C	S	M	T	K	I	L	E	P	F	R	K	Q	N	NL4-3 genbank.SEQ														
3032	CAG	TGT	AGC	ATG	ACA	AAA	ATC	TTA	GAG	CCT	TTT	AGA	AAA	CAA	AAT															
3030	Q	C	S	M	T	K	I	L	E	P	F	R	K	Q	N	pNL4-3.seq														
3030	CAG	TGT	AGC	ATG	ACA	AAA	ATC	TTA	GAG	CCT	TTT	AGA	AAA	CAA	AAT															
3557	Q	C	S	M	T	K	I	L	E	P	F	R	K	Q	N	pHDMHgpm2.seq														
3557	CAG	TGC	TCC	ATG	ACC	AAG	ATC	CTG	GAG	CCC	TTC	CGC	AAG	CAG	AAC															
3080															3110															
3077	P	D	I	V	I	Y	Q	Y	M	D	D	L	Y	V	G	NL4-3 genbank.SEQ														
3077	CCA	GAC	ATA	GTC	ATC	TAT	CAA	TAC	ATG	GAT	GAT	TTG	TAT	GTA	GGA															
3075	P	D	I	V	I	Y	Q	Y	M	D	D	L	Y	V	G	pNL4-3.seq														
3075	CCA	GAC	ATA	GTC	ATC	TAT	CAA	TAC	ATG	GAT	GAT	TTG	TAT	GTA	GGA															
3602	P	D	I	V	I	Y	Q	Y	M	D	D	L	Y	V	G	pHDMHgpm2.seq														
3602	CCC	GAC	ATC	GTG	ATC	TAC	CAG	TAC	ATG	GAC	GAC	CTG	TAC	GTG	GGC															
3140																														
3122	S	D	L	E	I	G	Q	H	R	T	K	I	E	E	L	NL4-3 genbank.SEQ														
3122	TCT	GAC	TTA	GAA	ATA	GGG	CAG	CAT	AGA	ACA	AAA	ATA	GAG	GAA	CTG															
3120	S	D	L	E	I	G	Q	H	R	T	K	I	E	E	L	pNL4-3.seq														
3120	TCT	GAC	TTA	GAA	ATA	GGG	CAG	CAT	AGA	ACA	AAA	ATA	GAG	GAA	CTG															
3647	S	D	L	E	I	G	Q	H	R	T	K	I	E	E	L	pHDMHgpm2.seq														
3647	TCC	GAC	CTG	GAG	ATC	GGC	CAG	CAC	CGC	ACC	AAG	ATC	GAG	GAG	CTG															

Fig. 9D

660760-562EE60

Alignment Report of Codon Optimization (pol).MEG, using Clustal method with PAM250 residue weight table.

3170															3200															
3167	R	Q	H	L	L	R	W	G	F	T	T	P	D	K	K	NL4-3	genbank.SEQ													
3167	AGA	CAA	CAT	CTG	TTG	AGG	TGG	GGA	TTT	ACC	ACA	CCA	GAC	AAA	AAA															
3165	R	Q	H	L	L	R	W	G	F	T	T	P	D	K	K	pNL4-3.seq														
3165	AGA	CAA	CAT	CTG	TTG	AGG	TGG	GGA	TTT	ACC	ACA	CCA	GAC	AAA	AAA															
3692	R	Q	H	L	L	R	W	G	F	T	T	P	D	K	K	pHDMHgpm2.seq														
3692	CGC	CAG	CAC	CTG	CTG	CGC	TGG	GGC	TTC	ACC	ACC	CCC	GAC	AAG	AAG															
3230																														
3212	H	Q	K	E	P	P	F	L	W	M	G	Y	E	L	H	NL4-3	genbank.SEQ													
3212	CAT	CAG	AAA	GAA	CCT	CCA	TTC	CTT	TGG	ATG	GGT	TAT	GAA	CTC	CAT															
3210	H	Q	K	E	P	P	F	L	W	M	G	Y	E	L	H	pNL4-3.seq														
3210	CAT	CAG	AAA	GAA	CCT	CCA	TTC	CTT	TGG	ATG	GGT	TAT	GAA	CTC	CAT															
3737	H	Q	K	E	P	P	F	L	W	M	G	Y	E	L	H	pHDMHgpm2.seq														
3737	CAC	CAG	AAG	GAG	CCC	CCC	TTC	CTG	TGG	ATG	GGC	TAC	GAG	CTG	CAC															
3260															3290															
3257	P	D	K	W	T	V	Q	P	I	V	L	P	E	K	D	NL4-3	genbank.SEQ													
3257	CCT	GAT	AAA	TGG	ACA	GTA	CAG	CCT	ATA	GTG	CTG	CCA	GAA	AAG	GAC															
3255	P	D	K	W	T	V	Q	P	I	V	L	P	E	K	D	pNL4-3.seq														
3255	CCT	GAT	AAA	TGG	ACA	GTA	CAG	CCT	ATA	GTG	CTG	CCA	GAA	AAG	GAC															
3782	P	D	K	W	T	V	Q	P	I	V	L	P	E	K	D	pHDMHgpm2.seq														
3782	CCC	GAC	AAG	TGG	ACC	GTG	CAG	CCC	ATC	GTG	CTG	CCC	GAG	AAG	GAC															
3320																														
3302	S	W	T	V	N	D	I	Q	K	L	V	G	K	L	N	NL4-3	genbank.SEQ													
3302	AGC	TGG	ACT	GTC	AAT	GAC	ATA	CAG	AAA	TTA	GTG	GGA	AAA	TTG	AAT															
3300	S	W	T	V	N	D	I	Q	K	L	V	G	K	L	N	pNL4-3.seq														
3300	AGC	TGG	ACT	GTC	AAT	GAC	ATA	CAG	AAA	TTA	GTG	GGA	AAA	TTG	AAT															
3827	S	W	T	V	N	D	I	Q	K	L	V	G	K	L	N	pHDMHgpm2.seq														
3827	TCC	TGG	ACC	GTG	AAC	GAC	ATC	CAG	AAG	CTG	GTG	GGC	AAG	CTG	AAC															
3350															3380															
3347	W	A	S	Q	I	Y	A	G	I	K	V	R	Q	L	C	NL4-3	genbank.SEQ													
3347	TGG	GCA	AGT	CAG	ATT	TAT	GCA	GGG	ATT	AAA	GTA	AGG	CAA	TTA	TGT															
3345	W	A	S	Q	I	Y	A	G	I	K	V	R	Q	L	C	pNL4-3.seq														
3345	TGG	GCA	AGT	CAG	ATT	TAT	GCA	GGG	ATT	AAA	GTA	AGG	CAA	TTA	TGT															
3872	W	A	S	Q	I	Y	A	G	I	K	V	R	Q	L	C	pHDMHgpm2.seq														
3872	TGG	GCC	TCC	CAG	ATC	TAC	GCC	GGC	ATC	AAA	GTC	CGC	CAG	CTG	TGC															
3410																														
3392	K	L	L	R	G	T	K	A	L	T	E	V	V	P	L	NL4-3	genbank.SEQ													
3392	AAA	CTT	CTT	AGG	GGA	ACC	AAA	GCA	CTA	ACA	GAA	GTA	GTA	CCA	CTA															
3390	K	L	L	R	G	T	K	A	L	T	E	V	V	P	L	pNL4-3.seq														
3390	AAA	CTT	CTT	AGG	GGA	ACC	AAA	GCA	CTA	ACA	GAA	GTA	GTA	CCA	CTA															
3917	K	L	L	R	G	T	K	A	L	T	E	V	V	P	L	pHDMHgpm2.seq														
3917	AAG	CTG	CTG	CGC	GGC	ACC	AAG	GCC	CTG	ACC	GAG	GTG	GTG	CCC	CTG															

Fig. 9E

00303795-091099

Alignment Report of Codon Optimization (pol).MEG, using Clustal method with PAM250 residue weight table.

	3440												3470												
3437	T	E	E	A	E	L	E	L	A	E	N	R	E	I	L	NL4-3 genbank.SEQ									
3437	ACA	GAA	GAA	GCA	GAG	CTA	GAA	CTG	GCA	GAA	AAC	AGG	GAG	ATT	CTA										
3435	T	E	E	A	E	L	E	L	A	E	N	R	E	I	L	pNL4-3.seq									
3435	ACA	GAA	GAA	GCA	GAG	CTA	GAA	CTG	GCA	GAA	AAC	AGG	GAG	ATT	CTA										
3962	T	E	E	A	E	L	E	L	A	E	N	R	E	I	L	pHDMHgpm2.seq									
3962	ACC	GAG	GAG	GCC	GAG	CTG	GAG	CTG	GCC	GAG	AAC	CGC	GAG	ATC	CTG										
	3500																								
3482	K	E	P	V	H	G	V	Y	Y	D	P	S	K	D	L	NL4-3 genbank.SEQ									
3482	AAA	GAA	CCG	GTA	CAT	GGA	GTG	TAT	TAT	GAC	CCA	TCA	AAA	GAC	TTA										
3480	K	E	P	V	H	G	V	Y	Y	D	P	S	K	D	L	pNL4-3.seq									
3480	AAA	GAA	CCG	GTA	CAT	GGA	GTG	TAT	TAT	GAC	CCA	TCA	AAA	GAC	TTA										
4007	K	E	P	V	H	G	V	Y	Y	D	P	S	K	D	L	pHDMHgpm2.seq									
4007	AAG	GAG	CCC	GTG	CAC	GGC	GTG	TAC	TAC	GAC	CCC	TCC	AAG	GAC	CTG										
	3530												3560												
3527	I	A	E	I	Q	K	Q	G	Q	G	Q	W	T	Y	Q	NL4-3 genbank.SEQ									
3527	ATA	GCA	GAA	ATA	CAG	AAG	CAG	GGG	CAA	GGC	CAA	TGG	ACA	TAT	CAA										
3525	I	A	E	I	Q	K	Q	G	Q	G	Q	W	T	Y	Q	pNL4-3.seq									
3525	ATA	GCA	GAA	ATA	CAG	AAG	CAG	GGG	CAA	GGC	CAA	TGG	ACA	TAT	CAA										
4052	I	A	E	I	Q	K	Q	G	Q	G	Q	W	T	Y	Q	pHDMHgpm2.seq									
4052	ATC	GCC	GAG	ATC	CAG	AAG	CAG	GGC	CAG	GGC	CAG	TGG	ACC	TAC	CAG										
	3590																								
3572	I	Y	Q	E	P	F	K	N	L	K	T	G	K	Y	A	NL4-3 genbank.SEQ									
3572	ATT	TAT	CAA	GAG	CCA	TTT	AAA	AAT	CTG	AAA	ACA	GGA	AAA	TAT	GCA										
3570	I	Y	Q	E	P	F	K	N	L	K	T	G	K	Y	A	pNL4-3.seq									
3570	ATT	TAT	CAA	GAG	CCA	TTT	AAA	AAT	CTG	AAA	ACA	GGA	AAA	TAT	GCA										
4097	I	Y	Q	E	P	F	K	N	L	K	T	G	K	Y	A	pHDMHgpm2.seq									
4097	ATC	TAC	CAG	GAG	CCC	TTC	AAG	AAC	CTG	AAG	ACC	GGC	AAA	TAC	GCC										
	3620												3650												
3617	R	M	K	G	A	H	T	N	D	V	K	Q	L	T	E	NL4-3 genbank.SEQ									
3617	AGA	ATG	AAG	GGT	GCC	CAC	ACT	AAT	GAT	GTG	AAA	CAA	TTA	ACA	GAG										
3615	R	M	K	G	A	H	T	N	D	V	K	Q	L	T	E	pNL4-3.seq									
3615	AGA	ATG	AAG	GGT	GCC	CAC	ACT	AAT	GAT	GTG	AAA	CAA	TTA	ACA	GAG										
4142	R	M	K	G	A	H	T	N	D	V	K	Q	L	T	E	pHDMHgpm2.seq									
4142	CGC	ATG	AAG	GGC	GCC	CAC	ACC	AAC	GAC	GTG	AAG	CAG	CTG	ACC	GAG										
	3680																								
3662	A	V	Q	K	I	A	T	E	S	I	V	I	W	G	K	NL4-3 genbank.SEQ									
3662	GCA	GTA	CAA	AAA	ATA	GCC	ACA	GAA	AGC	ATA	GTA	ATA	TGG	GGA	AAG										
3660	A	V	Q	K	I	A	T	E	S	I	V	I	W	G	K	pNL4-3.seq									
3660	GCA	GTA	CAA	AAA	ATA	GCC	ACA	GAA	AGC	ATA	GTA	ATA	TGG	GGA	AAG										
4187	A	V	Q	K	I	A	T	E	S	I	V	I	W	G	K	pHDMHgpm2.seq									
4187	GCC	GTG	CAG	AAG	ATC	GCC	ACC	GAG	TCC	ATC	GTG	ATC	TGG	GGC	AAG										

Fig. 9F

Alignment Report of Codon Optimization (pol).MEG, using Clustal method with PAM250 residue weight table.

	3710															3740															
3707	T	P	K	F	K	L	P	I	Q	K	E	T	W	E	A	NL4-3 genbank.SEQ															
3707	ACT	CCT	AAA	TTT	AAA	TTA	CCC	ATA	CAA	AAG	GAA	ACA	TGG	GAA	GCA																
3705	T	P	K	F	K	L	P	I	Q	K	E	T	W	E	A	pNL4-3.seq															
3705	ACT	CCT	AAA	TTT	AAA	TTA	CCC	ATA	CAA	AAG	GAA	ACA	TGG	GAA	GCA																
4232	T	P	K	F	K	L	P	I	Q	K	E	T	W	E	A	pHDMHgpm2.seq															
4232	ACT	CCC	AAG	TTC	AAG	CTG	CCC	ATC	CAG	AAG	GAG	ACC	TGG	GAG	GCC																
	3770																														
3752	W	W	T	E	Y	W	Q	A	T	W	I	P	E	W	E	NL4-3 genbank.SEQ															
3752	TGG	TGG	ACA	GAG	TAT	TGG	CAA	GCC	ACC	TGG	ATT	CCT	GAG	TGG	GAG																
3750	W	W	T	E	Y	W	Q	A	T	W	I	P	E	W	E	pNL4-3.seq															
3750	TGG	TGG	ACA	GAG	TAT	TGG	CAA	GCC	ACC	TGG	ATT	CCT	GAG	TGG	GAG																
4277	W	W	T	E	Y	W	Q	A	T	W	I	P	E	W	E	pHDMHgpm2.seq															
4277	TGG	TGG	ACC	GAG	TAC	TGG	CAG	GCC	ACC	TGG	ATC	CCC	GAG	TGG	GAG																
	3800															3830															
3797	F	V	N	T	P	P	L	V	K	L	W	Y	Q	L	E	NL4-3 genbank.SEQ															
3797	TTT	GTC	AAT	ACC	CCT	CCC	TTA	GTG	AAG	TTA	TGG	TAC	CAG	TTA	GAG																
3795	F	V	N	T	P	P	L	V	K	L	W	Y	Q	L	E	pNL4-3.seq															
3795	TTT	GTC	AAT	ACC	CCT	CCC	TTA	GTG	AAG	TTA	TGG	TAC	CAG	TTA	GAG																
4322	F	V	N	T	P	P	L	V	K	L	W	Y	Q	L	E	pHDMHgpm2.seq															
4322	TTC	GTG	AAC	ACC	CCC	CCC	CTG	GTG	AAG	CTG	TGG	TAC	CAG	CTG	GAG																
	3860																														
3842	K	E	P	I	I	G	A	E	T	F	Y	V	D	G	A	NL4-3 genbank.SEQ															
3842	AAA	GAA	CCC	ATA	ATA	GGA	GCA	GAA	ACT	TTC	TAT	GTA	GAT	GGG	GCA																
3840	K	E	P	I	I	G	A	E	T	F	Y	V	D	G	A	pNL4-3.seq															
3840	AAA	GAA	CCC	ATA	ATA	GGA	GCA	GAA	ACT	TTC	TAT	GTA	GAT	GGG	GCA																
4367	K	E	P	I	I	G	A	E	T	F	Y	V	D	G	A	pHDMHgpm2.seq															
4367	AAG	GAG	CCC	ATC	ATC	GGC	GCC	GAG	ACC	TTC	TAC	GTG	GAC	GGC	GCC																
	3890															3920															
3887	A	N	R	E	T	K	L	G	K	A	G	Y	V	T	D	NL4-3 genbank.SEQ															
3887	GCC	AAT	AGG	GAA	ACT	AAA	TTA	GGA	AAA	GCA	GGA	TAT	GTA	ACT	GAC																
3885	A	N	R	E	T	K	L	G	K	A	G	Y	V	T	D	pNL4-3.seq															
3885	GCC	AAT	AGG	GAA	ACT	AAA	TTA	GGA	AAA	GCA	GGA	TAT	GTA	ACT	GAC																
4412	A	N	R	E	T	K	L	G	K	A	G	Y	V	T	D	pHDMHgpm2.seq															
4412	GCC	AAC	CGC	GAG	ACC	AAG	CTG	GGC	AAG	GCC	GGC	TAC	GTG	ACC	GAC																
	3950																														
3932	R	G	R	Q	K	V	V	P	L	T	D	T	T	N	Q	NL4-3 genbank.SEQ															
3932	AGA	GGA	AGA	CAA	AAA	GTT	GTC	CCC	CTA	ACG	GAC	ACA	ACA	AAT	CAG																
3930	R	G	R	Q	K	V	V	P	L	T	D	T	T	N	Q	pNL4-3.seq															
3930	AGA	GGA	AGA	CAA	AAA	GTT	GTC	CCC	CTA	ACG	GAC	ACA	ACA	AAT	CAG																
4457	R	G	R	Q	K	V	V	P	L	T	D	T	T	N	Q	pHDMHgpm2.seq															
4457	CGC	GGC	CGC	CAG	AAG	GTG	GTG	CCC	CTG	ACC	GAC	ACC	ACC	AAC	CAG																

Fig. 9G

Alignment Report of Codon Optimization (pol).MEG, using Clustal method with PAM250 residue weight table.

	3980															
3977	K	T	E	L	Q	A	I	H	L	A	L	Q	D	S	G	NL4-3 genbank.SEQ
3977	AAG	ACT	GAG	TTA	CAA	GCA	ATT	CAT	CTA	GCT	TTG	CAG	GAT	TCG	GGA	
3975	K	T	E	L	Q	A	I	H	L	A	L	Q	D	S	G	pNL4-3.seq
3975	AAG	ACT	GAG	TTA	CAA	GCA	ATT	CAT	CTA	GCT	TTG	CAG	GAT	TCG	GGA	
4502	K	T	E	L	Q	A	I	H	L	A	L	Q	D	S	G	pHDMHgpm2.seq
4502	AAG	ACC	GAG	CTG	CAG	GCC	ATC	CAC	CTG	GCC	CTG	CAA	GAC	TCC	GGC	
	4040															
4022	L	E	V	N	I	V	T	D	S	Q	Y	A	L	G	I	NL4-3 genbank.SEQ
4022	TTA	GAA	GTA	AAC	ATA	GTG	ACA	GAC	TCA	CAA	TAT	GCA	TTG	GGA	ATC	
4020	L	E	V	N	I	V	T	D	S	Q	Y	A	L	G	I	pNL4-3.seq
4020	TTA	GAA	GTA	AAC	ATA	GTG	ACA	GAC	TCA	CAA	TAT	GCA	TTG	GGA	ATC	
4547	L	E	V	N	I	V	T	D	S	Q	Y	A	L	G	I	pHDMHgpm2.seq
4547	CTG	GAG	GTG	AAC	ATC	GTG	ACC	GAC	TCC	CAG	TAT	GCA	TTG	GGC	ATC	
	4070															
4067	I	Q	A	Q	P	D	K	S	E	S	E	L	V	S	Q	NL4-3 genbank.SEQ
4067	ATT	CAA	GCA	CAA	CCA	GAT	AAG	AGT	GAA	TCA	GAG	TTA	GTC	AGT	CAA	
4065	I	Q	A	Q	P	D	K	S	E	S	E	L	V	S	Q	pNL4-3.seq
4065	ATT	CAA	GCA	CAA	CCA	GAT	AAG	AGT	GAA	TCA	GAG	TTA	GTC	AGT	CAA	
4592	I	Q	A	Q	P	D	K	S	E	S	E	L	V	S	Q	pHDMHgpm2.seq
4592	ATC	CAG	GCC	CAG	CCC	GAC	AAG	TCC	GAG	TCC	GAG	CTG	GTG	TCC	CAG	
	4130															
4112	I	I	E	Q	L	I	K	K	E	K	V	Y	L	A	W	NL4-3 genbank.SEQ
4112	ATA	ATA	GAG	CAG	TTA	ATA	AAA	AAG	GAA	AAA	GTC	TAC	CTG	GCA	TGG	
4110	I	I	E	Q	L	I	K	K	E	K	V	Y	L	A	W	pNL4-3.seq
4110	ATA	ATA	GAG	CAG	TTA	ATA	AAA	AAG	GAA	AAA	GTC	TAC	CTG	GCA	TGG	
4637	I	I	E	Q	L	I	K	K	E	K	V	Y	L	A	W	pHDMHgpm2.seq
4637	ATC	ATC	GAG	CAG	CTG	ATC	AAG	AAG	GAG	AAG	GTG	TAC	CTG	GCC	TGG	
	4160															
4157	V	P	A	H	K	G	I	G	G	N	E	Q	V	D	G	NL4-3 genbank.SEQ
4157	GTA	CCA	GCA	CAC	AAA	GGA	ATT	GGA	GGA	AAT	GAA	CAA	GTA	GAT	GGG	
4155	V	P	A	H	K	G	I	G	G	N	E	Q	V	D	K	pNL4-3.seq
4155	GTA	CCA	GCA	CAC	AAA	GGA	ATT	GGA	GGA	AAT	GAA	CAA	GTA	GAT	AAG	
4682	V	P	A	H	K	G	I	G	G	N	E	Q	V	D	K	pHDMHgpm2.seq
4682	GTG	CCC	GCC	CAC	AAG	GGC	ATC	GGC	GGC	AAC	GAG	CAG	GTG	GAC	AAG	
	4220															
4202	L	V	S	A	G	I	R	K	V	L	F	L	D	G	I	NL4-3 genbank.SEQ
4202	TTG	GTC	AGT	GCT	GGA	ATC	AGG	AAA	GTA	CTA	TTT	TTA	GAT	GGA	ATA	
4200	L	V	S	A	G	I	R	K	V	L	F	L	D	G	I	pNL4-3.seq
4200	TTG	GTC	AGT	GCT	GGA	ATC	AGG	AAA	GTA	CTA	TTT	TTA	GAT	GGA	ATA	
4727	L	V	S	A	G	I	R	K	V	L	F	L	D	G	I	pHDMHgpm2.seq
4727	CTG	GTG	TCC	GCC	GGC	ATC	CGC	AAG	GTG	CTG	TTC	CTG	GAC	GGC	ATC	

Fig. 9H

Alignment Report of Codon Optimization (pol).MEG, using Clustal method with PAM250 residue weight table.

4250															4280															
4247	D	K	A	Q	E	E	H	E	K	Y	H	S	N	W	R	NL4-3 genbank.SEQ														
4247	GAT	AAG	GCC	CAA	GAA	GAA	CAT	GAG	AAA	TAT	CAC	AGT	AAT	TGG	AGA															
4245	D	K	A	Q	E	E	H	E	K	Y	H	S	N	W	R	pNL4-3.seq														
4245	GAT	AAG	GCC	CAA	GAA	GAA	CAT	GAG	AAA	TAT	CAC	AGT	AAT	TGG	AGA															
4772	D	K	A	Q	E	E	H	E	K	Y	H	S	N	W	R	pHDMHgpm2.seq														
4772	GAC	AAG	GCC	CAG	GAG	GAG	CAC	GAG	AAG	TAC	CAC	TCC	AAC	TGG	CGC															
4310																														
4292	A	M	A	S	D	F	N	L	P	P	V	V	A	K	E	NL4-3 genbank.SEQ														
4292	GCA	ATG	GCT	AGT	GAT	TTT	AAC	CTA	CCA	CCT	GTA	GTA	GCA	AAA	GAA															
4290	A	M	A	S	D	F	N	L	P	P	V	V	A	K	E	pNL4-3.seq														
4290	GCA	ATG	GCT	AGT	GAT	TTT	AAC	CTA	CCA	CCT	GTA	GTA	GCA	AAA	GAA															
4817	A	M	A	S	D	F	N	L	P	P	V	V	A	K	E	pHDMHgpm2.seq														
4817	GCC	ATG	GCC	TCC	GAC	TTC	AAC	CTG	CCC	CCC	GTG	GTG	GCC	AAG	GAG															
4340															4370															
4337	I	V	A	S	C	D	K	C	Q	L	K	G	E	A	M	NL4-3 genbank.SEQ														
4337	ATA	GTA	GCC	AGC	TGT	GAT	AAA	TGT	CAG	CTA	AAA	GGG	GAA	GCC	ATG															
4335	I	V	A	S	C	D	K	C	Q	L	K	G	E	A	M	pNL4-3.seq														
4335	ATA	GTA	GCC	AGC	TGT	GAT	AAA	TGT	CAG	CTA	AAA	GGG	GAA	GCC	ATG															
4862	I	V	A	S	C	D	K	C	Q	L	K	G	E	A	M	pHDMHgpm2.seq														
4862	ATC	GTG	GCC	TCC	TGC	GAC	AAG	TGC	CAG	CTG	AAG	GGC	GAG	GCC	ATG															
4400																														
4382	H	G	Q	V	D	C	S	P	G	I	W	Q	L	D	C	NL4-3 genbank.SEQ														
4382	CAT	GGA	CAA	GTA	GAC	TGT	AGC	CCA	GGA	ATA	TGG	CAG	CTA	GAT	TGT															
4380	H	G	Q	V	D	C	S	P	G	I	W	Q	L	D	C	pNL4-3.seq														
4380	CAT	GGA	CAA	GTA	GAC	TGT	AGC	CCA	GGA	ATA	TGG	CAG	CTA	GAT	TGT															
4907	H	G	Q	V	D	C	S	P	G	I	W	Q	L	D	C	pHDMHgpm2.seq														
4907	CAC	GGC	CAG	GTG	GAC	TGC	TCC	CCC	GGC	ATC	TGG	CAG	CTG	GAC	TGC															
4430															4460															
4427	T	H	L	E	G	K	V	I	L	V	A	V	H	V	A	NL4-3 genbank.SEQ														
4427	ACA	CAT	TTA	GAA	GGA	AAA	GTT	ATC	TTG	GTA	GCA	GTT	CAT	GTA	GCC															
4425	T	H	L	E	G	K	V	I	L	V	A	V	H	V	A	pNL4-3.seq														
4425	ACA	CAT	TTA	GAA	GGA	AAA	GTT	ATC	TTG	GTA	GCA	GTT	CAT	GTA	GCC															
4952	T	H	L	E	G	K	V	I	L	V	A	V	H	V	A	pHDMHgpm2.seq														
4952	ACC	CAC	CTG	GAG	GGC	AAG	GTG	ATC	CTG	GTG	GCC	GTG	CAC	GTG	GCC															
4490																														
4472	S	G	Y	I	E	A	E	V	I	P	A	E	T	G	Q	NL4-3 genbank.SEQ														
4472	AGT	GGA	TAT	ATA	GAA	GCA	GAA	GTA	ATT	CCA	GCA	GAG	ACA	GGG	CAA															
4470	S	G	Y	I	E	A	E	V	I	P	A	E	T	G	Q	pNL4-3.seq														
4470	AGT	GGA	TAT	ATA	GAA	GCA	GAA	GTA	ATT	CCA	GCA	GAG	ACA	GGG	CAA															
4997	S	G	Y	I	E	A	E	V	I	P	A	E	T	G	Q	pHDMHgpm2.seq														
4997	TCC	GGC	TAC	ATC	GAG	GCC	GAG	GTG	ATC	CCC	GCC	GAG	ACC	GGC	CAG															

Fig. 9I

Alignment Report of Codon Optimization (pol).MEG, using Clustal method with PAM250 residue weight table.

	4520															4550															
4517	E	T	A	Y	F	L	L	K	L	A	G	R	W	P	V	NL4-3 genbank.SEQ															
4517	GAA	ACA	GCA	TAC	TTC	CTC	TTA	AAA	TTA	GCA	GGA	AGA	TGG	CCA	GTA																
4515	E	T	A	Y	F	L	L	K	L	A	G	R	W	P	V	pNL4-3.seq															
4515	GAA	ACA	GCA	TAC	TTC	CTC	TTA	AAA	TTA	GCA	GGA	AGA	TGG	CCA	GTA																
5042	E	T	A	Y	F	L	L	K	L	A	G	R	W	P	V	pHDMHgpm2.seq															
5042	GAG	ACC	GCC	TAC	TTC	CTG	CTG	AAG	CTG	GCC	GGC	CGC	TGG	CCC	GTG																
	4580																														
4562	K	T	V	H	T	D	N	G	S	N	F	T	S	T	T	NL4-3 genbank.SEQ															
4562	AAA	ACA	GTA	CAT	ACA	GAC	AAT	GGC	AGC	AAT	TTC	ACC	AGT	ACT	ACA																
4560	K	T	V	H	T	D	N	G	S	N	F	T	S	T	T	pNL4-3.seq															
4560	AAA	ACA	GTA	CAT	ACA	GAC	AAT	GGC	AGC	AAT	TTC	ACC	AGT	ACT	ACA																
5087	K	T	V	H	T	D	N	G	S	N	F	T	S	T	T	pHDMHgpm2.seq															
5087	AAG	ACC	GTG	CAC	ACC	GAC	AAC	GGC	TCC	AAC	TTC	ACC	TCC	ACC	ACC																
	4610															4640															
4607	V	K	A	A	C	W	W	A	G	I	K	Q	E	F	G	NL4-3 genbank.SEQ															
4607	GTT	AAG	GCC	GCC	TGT	TGG	TGG	GCG	GGG	ATC	AAG	CAG	GAA	TTT	GGC																
4605	V	K	A	A	C	W	W	A	G	I	K	Q	E	F	G	pNL4-3.seq															
4605	GTT	AAG	GCC	GCC	TGT	TGG	TGG	GCG	GGG	ATC	AAG	CAG	GAA	TTT	GGC																
5132	V	K	A	A	C	W	W	A	G	I	K	Q	E	F	G	pHDMHgpm2.seq															
5132	GTG	AAG	GCC	GCC	TGC	TGG	TGG	GCC	GGC	ATC	AAG	CAG	GAG	TTC	GGC																
	4670																														
4652	I	P	Y	N	P	Q	S	Q	G	V	I	E	S	M	N	NL4-3 genbank.SEQ															
4652	ATT	CCC	TAC	AAT	CCC	CAA	AGT	CAA	GGA	GTA	ATA	GAA	TCT	ATG	AAT																
4650	I	P	Y	N	P	Q	S	Q	G	V	I	E	S	M	N	pNL4-3.seq															
4650	ATT	CCC	TAC	AAT	CCC	CAA	AGT	CAA	GGA	GTA	ATA	GAA	TCT	ATG	AAT																
5177	I	P	Y	N	P	Q	S	Q	G	V	I	E	S	M	N	pHDMHgpm2.seq															
5177	ATC	CCC	TAC	AAC	CCC	CAG	TCC	CAG	GGC	GTG	ATC	GAG	TCC	ATG	AAC																
	4700															4730															
4697	K	E	L	K	K	I	I	G	Q	V	R	D	Q	A	E	NL4-3 genbank.SEQ															
4697	AAA	GAA	TTA	AAG	AAA	ATT	ATA	GGA	CAG	GTA	AGA	GAT	CAG	GCT	GAA																
4695	K	E	L	K	K	I	I	G	Q	V	R	D	Q	A	E	pNL4-3.seq															
4695	AAA	GAA	TTA	AAG	AAA	ATT	ATA	GGA	CAG	GTA	AGA	GAT	CAG	GCT	GAA																
5222	K	E	L	K	K	I	I	G	Q	V	R	D	Q	A	E	pHDMHgpm2.seq															
5222	AAG	GAG	CTG	AAG	AAG	ATC	ATC	GGC	CAA	GTC	CGC	GAC	CAG	GCC	GAG																
	4760																														
4742	H	L	K	T	A	V	Q	M	A	V	F	I	H	N	F	NL4-3 genbank.SEQ															
4742	CAT	CTT	AAG	ACA	GCA	GTA	CAA	ATG	GCA	GTA	TTC	ATC	CAC	AAT	TTT																
4740	H	L	K	T	A	V	Q	M	A	V	F	I	H	N	F	pNL4-3.seq															
4740	CAT	CTT	AAG	ACA	GCA	GTA	CAA	ATG	GCA	GTA	TTC	ATC	CAC	AAT	TTT																
5267	H	L	K	T	A	V	Q	M	A	V	F	I	H	N	F	pHDMHgpm2.seq															
5267	CAC	CTG	AAG	ACC	GCC	GTG	CAG	ATG	GCC	GTG	TTC	ATC	CAC	AAC	TTC																

Fig. 9J

Alignment Report of Codon Optimization (pol).MEG, using Clustal method with PAM250 residue weight table.

4790															4820															
4787	K	R	K	G	G	I	G	G	Y	S	A	G	E	R	I	NL4-3 genbank.SEQ														
4787	AAA	AGA	AAA	GGG	GGG	ATT	GGG	GGG	TAC	AGT	GCA	GGG	GAA	AGA	ATA															
4785	K	R	K	G	G	I	G	G	Y	S	A	G	E	R	I	pNL4-3.seq														
4785	AAA	AGA	AAA	GGG	GGG	ATT	GGG	GGG	TAC	AGT	GCA	GGG	GAA	AGA	ATA															
5312	K	R	K	G	G	I	G	G	Y	S	A	G	E	R	I	pHDMHgpm2.seq														
5312	AAG	CGC	AAG	GGC	GGC	ATC	GGC	GGC	TAC	TCC	GCC	GGC	GAG	CGC	ATC															
4850																														
4832	V	D	I	I	A	T	D	I	Q	T	K	E	L	Q	K	NL4-3 genbank.SEQ														
4832	GTA	GAC	ATA	ATA	GCA	ACA	GAC	ATA	CAA	ACT	AAA	GAA	TTA	CAA	AAA															
4830	V	D	I	I	A	T	D	I	Q	T	K	E	L	Q	K	pNL4-3.seq														
4830	GTA	GAC	ATA	ATA	GCA	ACA	GAC	ATA	CAA	ACT	AAA	GAA	TTA	CAA	AAA															
5357	V	D	I	I	A	T	D	I	Q	T	K	E	L	Q	K	pHDMHgpm2.seq														
5357	GTG	GAC	ATC	ATC	GCC	ACC	GAC	ATC	CAG	ACC	AAG	GAG	CTG	CAG	AAG															
4880															4910															
4877	Q	I	T	K	I	Q	N	F	R	V	Y	Y	R	D	S	NL4-3 genbank.SEQ														
4877	CAA	ATT	ACA	AAA	ATT	CAA	AAT	TTT	CGG	GTT	TAT	TAC	AGG	GAC	AGC															
4875	Q	I	T	K	I	Q	N	F	R	V	Y	Y	R	D	S	pNL4-3.seq														
4875	CAA	ATT	ACA	AAA	ATT	CAA	AAT	TTT	CGG	GTT	TAT	TAC	AGG	GAC	AGC															
5402	Q	I	T	K	I	Q	N	F	R	V	Y	Y	R	D	S	pHDMHgpm2.seq														
5402	CAG	ATC	ACC	AAG	ATC	CAG	AAC	TTC	CGC	GTG	TAC	TAC	CGC	GAC	TCC															
4940																														
4922	R	D	P	V	W	K	G	P	A	K	L	L	W	K	G	NL4-3 genbank.SEQ														
4922	AGA	GAT	CCA	GTT	TGG	AAA	GGA	CCA	GCA	AAG	CTC	CTC	TGG	AAA	GGT															
4920	R	D	P	V	W	K	G	P	A	K	L	L	W	K	G	pNL4-3.seq														
4920	AGA	GAT	CCA	GTT	TGG	AAA	GGA	CCA	GCA	AAG	CTC	CTC	TGG	AAA	GGT															
5447	R	D	P	V	W	K	G	P	A	K	L	L	W	K	G	pHDMHgpm2.seq														
5447	CGC	GAC	CCC	GTG	TGG	AAG	GGC	CCC	GCC	AAG	CTG	CTG	TGG	AAG	GGC															
4970															5000															
4967	E	G	A	V	V	I	Q	D	N	S	D	I	K	V	V	NL4-3 genbank.SEQ														
4967	GAA	GGG	GCA	GTA	GTA	ATA	CAA	GAT	AAT	AGT	GAC	ATA	AAA	GTA	GTG															
4965	E	G	A	V	V	I	Q	D	N	S	D	I	K	V	V	pNL4-3.seq														
4965	GAA	GGG	GCA	GTA	GTA	ATA	CAA	GAT	AAT	AGT	GAC	ATA	AAA	GTA	GTG															
5492	E	G	A	V	V	I	Q	D	N	S	D	I	K	V	V	pHDMHgpm2.seq														
5492	GAG	GGC	GCC	GTG	GTG	ATC	CAG	GAC	AAC	TCC	GAC	ATC	AAG	GTG	GTG															
5030																														
5012	P	R	R	K	A	K	I	I	R	D	Y	G	K	Q	M	NL4-3 genbank.SEQ														
5012	CCA	AGA	AGA	AAA	GCA	AAG	ATC	ATC	AGG	GAT	TAT	GGA	AAA	CAG	ATG															
5010	P	R	R	K	A	K	I	I	R	D	Y	G	K	Q	M	pNL4-3.seq														
5010	CCA	AGA	AGA	AAA	GCA	AAG	ATC	ATC	AGG	GAT	TAT	GGA	AAA	CAG	ATG															
5537	P	R	R	K	A	K	I	I	R	D	Y	G	K	Q	M	pHDMHgpm2.seq														
5537	CCC	CGC	CGC	AAG	GCC	AAG	ATC	ATC	CGC	GAC	TAC	GGC	AAG	CAG	ATG															

Fig. 9K

Alignment Report of Codon Optimization (pol).MEG, using Clustal method with PAM250 residue weight table.

	5060												5090													
5057	A	G	D	D	C	V	A	S	R	Q	D	E	D												NL4-3 genbank.SEQ	
5057	GCA	GGT	GAT	GAT	TGT	GTG	GCA	AGT	AGA	CAG	GAT	GAG	GAT	TAA												
5055	A	G	D	D	C	V	A	S	R	Q	D	E	D													pNL4-3.seq
5055	GCA	GGT	GAT	GAT	TGT	GTG	GCA	AGT	AGA	CAG	GAT	GAG	GAT	TAA												
5582	A	G	D	D	C	V	A	S	R	Q	D	E	D													pHDMHgpm2.seq
5582	GCC	GGC	GAC	GAC	TGC	GTG	GCC	TCC	CGC	CAG	GAC	GAG	GAC	TAA												

Fig. 9L

050160" 56226260

AGCTTGGCCC	ATTGCATACG	TTGTATCCAT	ATCATAATAT	GTACATTTAT	ATTGGCTCAT	60
GTCCAACATT	ACCGCCATGT	TGACATTGAT	TATTGACTAG	TTATTAATAG	TAATCAATTA	120
CGGGGTCATT	AGTTCATAGC	CCATATATGG	AGTTCCGCGT	TACATAACTT	ACGGTAAATG	180
GCCCCGCTGG	CTGACCGCCC	AACGACCCCC	GCCCATTGAC	GTCAATAATG	ACGTATGTTT	240
CCATAGTAAC	GCCAATAGGG	ACTTTCCATT	GACGTCAATG	GGTGGAGTAT	TTACGGTAAA	300
CTGCCCCACTT	GGCAGTACAT	CAAGTGTATC	ATATGCCAAG	TACGCCCCCT	ATTGACGTCA	360
ATGACGGTAA	ATGGCCCCGCC	TGGCATTATG	CCCAGTACAT	GACCTTATGG	GACTTTCCTA	420
CTTGGCAGTA	CATCTACGTA	TTAGTCATCG	CTATTACCAT	GGTGATGCGG	TTTTGGCAGT	480
ACATCAATGG	GCGTGGATAG	CGGTTTGACT	CACGGGGATT	TCCAAGTCTC	CACCCCATTG	540
ACGTCAATGG	GAGTTTGTTC	TGGCACCAAA	ATCAACGGGA	CTTTCCAAAA	TGTCGTAACA	600
ACTCCGCCCC	ATTGACGCAA	ATGGGCGGTA	GGCGTGTACG	GTGGGAGGTC	TATATAAGCA	660
GAGCTCGTTT	AGTGAACCGT	CAGATCGCCT	GGAGACGCCA	TCCACGCTGT	TTTGACCTCC	720
ATAGAAGACA	CCGGGACCGA	TCCAGCCTCC	CCTCGAAGCT	GATCCTGAGA	ACTTCAGGGT	780
GAGTCTATGG	GACCCTTGAT	GTTTTCTTTC	CCCTTCTTTT	CTATGGTTAA	GTTCATGTCA	840
TAGGAAGGGG	AGAAGTAACA	GGGTACACAT	ATTGACCAAA	TCAGGGTAAT	TTTGCAATTG	900
TAATTTTAAA	AAATGCTTTC	TTCTTTTAAT	ATACTTTTTT	GTTTATCTTA	TTTCTAATAC	960
TTTCCCTAAT	CTCTTTCTTT	CAGGGCAATA	ATGATACAAT	GTATCATGCC	TCTTTGCACC	1020
ATTCTAAAGA	ATAACAGTGA	TAATTTCTGG	GTAAAGGCAA	TAGCAATATT	TCTGCATATA	1080
AATATTTCTG	CATATAAATT	GTAACGTATG	TAAGAGGTTT	CATATTGCTA	ATAGCAGCTA	1140
CAATCCAGCT	ACCATTCTGC	TTTTATTTTA	TGGTTGGGAT	AAGGCTGGAT	TATTCTGAGT	1200
CCAAGCTAGG	CCCTTTTGCT	AATCATGTTC	ATACCTCTTA	TCTTCCTCCC	ACAGCTCCTG	1260
GGCAACGTGC	TGGTCTGTGT	GCTGGCCCCAT	CACTTTGGCA	AAGAATTCTA	GACTGCCATG	1320
GGCGCCCGCG	CCTCCGTGCT	GTCCGGCGGC	GAGCTGGACA	AGTGGGAGAA	GATCCGCCTG	1380
CGCCCCGGCG	GCAAGAAGCA	GTACAAGCTG	AAGCACATCG	TGTGGGCCTC	CCGCGAGCTG	1440
GAGCGCTTCG	CCGTGAACCC	CGGCCTGCTG	GAGACCTCCG	AGGGCTGCCG	CCAGATCCTG	1500
GGCCAGCTGC	AGCCCTCCCT	GCAAACCGGC	TCCGAGGAGC	TGCGCTCCCT	GTACAACACC	1560
ATCGCCGTGC	TGTAATGCGT	GCACCAGCGC	ATCGACGTGA	AGGACACCAA	GGAGGCCCTG	1620
GACAAGATCG	AGGAGGAGCA	GAACAAGTCC	AAGAAGAAGG	CCCAGCAGGC	CGCCGCCGAC	1680
ACCGGCAACA	ACTCCCAGGT	GTCCCAGAAC	TACCCCATCG	TGCAGAACCT	GCAGGGCCAG	1740
ATGGTGCACC	AGGCCATCTC	CCCCCGCACC	CTGAACGCCCT	GGGTGAAGGT	GGTGAAGGAG	1800
AAGGCCTTCT	CCCCCGAAGT	CATCCCCATG	TTCTCCGCCC	TGTCCGAGGG	CGCCACCCCC	1860
CAGGACCTGA	ACACCATGCT	GAACACCGTG	GGCGGCCACC	AGGCCGCCAT	GCAGATGCTG	1920
AAGGAGACCA	TCAACGAGGA	GGCCGCCGAG	TGGGACCGCC	TGCACCCCGT	GCACGCCGGC	1980
CCCATCGCCC	CCGGCCAGAT	GCGCGAGCCC	CGCGGCTCCG	ACATCGCCCG	CACCACCTCC	2040
ACCCTGCAAG	AGCAGATCGG	CTGGATGACC	CACAACCCCC	CCATCCCCGT	GGGCGAGATC	2100
TACAAGCGCT	GGATCATCCT	GGGCCTGAAC	AAGATCGTGC	GCATGTACTC	CCCCACCTCC	2160
ATCCTGGACA	TCCGCCAGGG	CCCCAAGGAG	CCCTTCCGCG	ACTACGTGGA	CCGCTTCTAC	2220
AAGACCCTGC	GCGCCGAGCA	GGCCTCCCAG	GAGGTAAAGA	ACTGGATGAC	CGAGACCTTG	2280
CTGGTGCAGA	ACGCCAACCC	CGACTGCAAG	ACCATCCTGA	AGGCCCTGGG	CCCCGGCGCC	2340
ACCCTGGAGG	AGATGATGAC	CGCCTGCCAG	GGCGTGGGCG	GCCCCGGCCA	CAAGGCCCGC	2400
GTGCTGGCCG	AGGCCATGTC	CCAAGTCACC	AACCCCGCCA	CCATCATGAT	CCAGAAGGGC	2460
AACTTCCGCA	ACCAGCGCAA	GACCGTGAAG	TGCTTCAACT	GCGGCAAGGA	GGGCCACATC	2520
GCCAAGAACT	GCCGCGCCCC	CCGCAAGAAG	GGCTGCTGGA	AGTGCGGCAA	GGAGGGCCAC	2580
CAGATGAAAG	ATTGTACTGA	GAGACAGGCT	AATTTTTTAG	GGAAGATCTG	GCCTTCCAC	2640
AAGGGAAGGC	CAGGGAATTT	TCTTCAGAGC	AGACCAGAGC	CAACAGCCCC	ACCAGAAGAG	2700
AGCTTCAGGT	TTGGGGAAGA	GACAACAAC	CCCTCTCAGA	AGCAGGAGCC	GATAGACAAG	2760
GAAGTGTATC	CTTTAGCTTC	CCTCAGATCA	CTCTTTGGCA	GCGACCCCTC	GTCACAATAA	2820

Fig. 10A

AGATCGGTGG	CCAGCTGAAG	GAGGCCCTGC	TGGACACCGG	CGCCGACGAC	ACCGTGCTGG	2880
AGGAGATGAA	CCTGCCCGGC	CGCTGGAAGC	CCAAGATGAT	CGGCGGCATC	GGCGGCTTCA	2940
TCAAAGTCCG	CCAGTACGAC	CAGATCCTGA	TCGAGATCTG	CGGCCACAAG	GCCATCGGCA	3000
CCGTGCTGGT	GGGCCCCACC	CCCGTGAACA	TCATCGGCCG	CAACCTGCTG	ACCCAGATCG	3060
GCTGCACCTT	GAACCTCCCC	ATCTCCCCCA	TCGAGACCGT	GCCCGTGAAG	CTGAAGCCCC	3120
GCATGGACGG	CCCCAAAGTC	AAGCAGTGGC	CCCTGACCGA	GGAGAAGATC	AAGGCCCTGG	3180
TGGAGATCTG	CACCGAGATG	GAGAAGGAGG	GCAAGATCTC	CAAGATCGGC	CCCAGAAACC	3240
CCTACAACAC	CCCCGTGTTC	GCCATCAAGA	AGAAGGACTC	CACCAAGTGG	CGCAAGCTGG	3300
TGGACTTCCG	CGAGCTGAAC	AAGCGCACCC	AGGACTTCTG	GGAGGTGCAG	CTGGGCATCC	3360
CCCACCCCGC	CGGCCTGAAG	CAGAAGAAGT	CCGTGACCGT	GCTGGACGTG	GGCGACGCCT	3420
ACTTCTCCGT	GCCCCCTGGC	AAGGACTTCC	GCAAGTACAC	CGCCTTCACC	ATCCCCCTCCA	3480
TCAACAACGA	GACCCCCGGC	ATCCGCTACC	AGTACAACGT	GCTGCCCCAG	GGCTGGAAGG	3540
GCTCCCCCGC	CATCTTCCAG	TGCTCCATGA	CCAAGATCCT	GGAGCCCTTC	CGCAAGCAGA	3600
ACCCCGACAT	CGTGATCTAC	CAGTACATGG	ACGACCTGTA	CGTGGGCTCC	GACCTGGAGA	3660
TCGGCCAGCA	CCGCACCAAG	ATCGAGGAGC	TGCGCCAGCA	CCTGCTGCGC	TGGGGCTTCA	3720
CCACCCCCGA	CAAGAAGCAC	CAGAAGGAGC	CCCCCTTCCT	GTGGATGGGC	TACGAGCTGC	3780
ACCCCGACAA	GTGGACCGTG	CAGCCCATCG	TGCTGCCCGA	GAAGGACTCC	TGGACCGTGA	3840
ACGACATCCA	GAAGCTGGTG	GGCAAGCTGA	ACTGGGCCTC	CCAGATCTAC	GCCGGCATCA	3900
AAGTCCGCCA	GCTGTGCAAG	CTGCTGCGCG	GCACCAAGGC	CCTGACCGAG	GTGGTGCCCC	3960
TGACCCAGGA	GGCCGAGCTG	GAGCTGGCCG	AGAACC CGGA	GATCCTGAAG	GAGCCCGTGC	4020
ACGGCGTGTA	CTACGACCCC	TCCAAGGACC	TGATCGCCGA	GATCCAGAAG	CAGGGCCAGG	4080
GCCAGTGGAC	CTACCAGATC	TACCAGGAGC	CCCTCAAGAA	CCTGAAGACC	GGCAAATACG	4140
CCCGCATGAA	GGGCGCCCAC	ACCAACGACG	TGAAGCAGCT	GACCGAGGCC	GTGCAGAAGA	4200
TCGCCACCGA	GTCCATCGTG	ATCTGGGGCA	AGACTCCCAA	GTTCAAGCTG	CCCATCCAGA	4260
AGGAGACCTG	GGAGGCCTGG	TGGACCGAGT	ACTGGCAGGC	CACCTGGATC	CCCAGTGGG	4320
AGTTCGTGAA	CACCCCCCCC	CTGGTGAAAGC	TGTGGTACCA	GCTGGAGAAG	GAGCCCATCA	4380
TCGGCGCCGA	GACCTTCTAC	GTGGACGGCG	CCGCCAACCG	CGAGACCAAG	CTGGGCAAGG	4440
CCGGCTACGT	GACCGACCGC	GGCCGCCAGA	AGGTGGTGCC	CCTGACCGAC	ACCACCAACC	4500
AGAAGACCGA	GCTGCAAGCC	ATCCACCTGG	CCCTCAAGAA	CTCCGGCCTG	GAGGTGAACA	4560
TCGTGACCGA	CTCCAGTAT	GCATTGGGCA	TCATCCAGGC	CCAGCCCGAC	AAGTCCGAGT	4620
CCGAGCTGGT	GTCCAGATC	ATCGAGCAGC	TGATCAAGAA	GGAGAAGGTG	TACCTGGCCT	4680
GGGTGCCCCG	CCACAAGGGC	ATCGGCGGCA	ACGAGCAGGT	GGACAAGCTG	GTGTCCGCCG	4740
GCATCCGCAA	GGTGCTGTTC	CTGGACGGCA	TCGACAAGGC	CCAGGAGGAG	CACGAGAAGT	4800
ACCACTCCAA	CTGGCGCGCC	ATGGCCTCCG	ACTTCAACCT	GCCCCCCGTG	GTGGCCAAGG	4860
AGATCGTGGC	CTCCTGCGAC	AAGTGCCAGC	TGAAGGGCGA	GGCCATGCAC	GGCCAGGTGG	4920
ACTGCTCCCC	CGGCATCTGG	CAGCTGGACT	GCACCCACCT	GGAGGGCAAG	GTGATCCTGG	4980
TGGCCGTGCA	CGTGGCCTCC	GGCTACATCG	AGGCGAGGTT	GATCCCCGCC	GAGACCGGCC	5040
AGGAGACCGC	CTACTTCCTG	CTGAAGCTGG	CCGGCCGCTG	GCCCCGTGAAG	ACCGTGCACA	5100
CCGACAACGG	CTCCAACCTC	ACCTCCACCA	CCGTGAAGGC	CGCCTGCTGG	TGGGCCGGCA	5160
TCAAGCAGGA	GTTCGGCATC	CCCTACAACC	CCCAGTCCCA	GGGCGTGATC	GAGTCCATGA	5220
ACAAGGAGCT	GAAGAAGATC	ATCGGCCAAG	TCCGCGACCA	GGCCGAGCAC	CTGAAGACCG	5280
CCGTGCAGAT	GGCCGTGTTC	ATCCACAAC	TCAAGCGCAA	GGGCGGCATC	GGCGGCTACT	5340
CCGCCGGCGA	GCGCATCGTG	GACATCATCG	CCACCGACAT	CCAGACCAAG	GAGCTGCAGA	5400
AGCAGATCAC	CAAGATCCAG	AACTTCCGCG	TGTACTACCG	CGACTCCCGC	GACCCCGTGT	5460
GGAAAGGGCCC	CGCCAAGCTG	CTGTGGAAGG	CGAGGGGCGC	CGTGGTGATC	CAGGACAAC	5520
CCGACATCAA	GGTGGTGCCC	CGCCGCAAGG	CCAAGATCAT	CCGCGACTAC	GGCAAGCAGA	5580
TGGCCGGCGA	CGACTGCGTG	GCCTCCCGCC	AGGACGAGGA	CTAACACATG	GAAAAGATTA	5640

Fig. 10B

GTTAAACACC	ATAGGCCGCT	CTAGAGGATC	CAAGCTTATC	GATACCGTCG	ACCTCGAGGG	5700
CCCAGATCTA	ATTCACCCCA	CCAGTGCAGG	CTGCCTATCA	GAAAGTGGTG	GCTGGTGTGG	5760
CTAATGCCCT	GGCCACAAG	TATCACTAAG	CTCGCTTTCT	TGCTGTCCAA	TTTCTATTAA	5820
AGGTTCCCTT	GTTCCCTAAG	TCCAAC TACT	AAACTGGGGG	ATATTATGAA	GGGCCTTGAG	5880
CATCTGGATT	CTGCCTAATA	AAAAACATTT	ATTTTCATTG	CAATGATGTA	TTTAAATTAT	5940
TTCTGAATAT	TTTACTAAAA	AGGGAATGTG	GGAGGT CAGT	GCATTTAAAA	CATAAAGAAA	6000
TGAAGAGCTA	GTTCAAAACCT	TGGGAAAAAT	CACATATCT	TAAACTCCAT	GAAGAAGGT	6060
GAGGCTGCAA	ACAGCTAATG	CAGATTGGCA	ACAGCCCCTG	ATGCCTATGC	CTTATTCTATC	6120
CCTCAGAAAA	GGATTCAAGT	AGAGGCTTGA	TTTGGAGGTT	AAAGTTTTGC	TATGCTGTAT	6180
TTTACATTAC	TTATTGTTTT	AGCTGTCCCT	ATGAATGTCT	TTTCACTACC	CATTTGCTTA	6240
TCCTGCATCT	CTCAGCCTTG	ACTCCACTCA	GTTCTCTTGC	TTAGAGATAC	CACCTTTCCC	6300
CTGAAGTGTT	CCTTCCATGT	TTTACGGCGA	GATGGTTTCT	CCTCGCCTGG	CCACTCAGCC	6360
TTAGTTGTCT	CTGTTGTCTT	ATAGAGGTCT	ACTTGAAGAA	GGAAAAACAG	GGGGCATGGT	6420
TTGACTGTCT	TGTGAGCCCT	TCTTCCCTGC	CTCCCCACT	CACAGTGACC	CGGAATCCCT	6480
CGACATGGCA	GTCTAGATCA	TTCTTGAAGA	CGAAAGGGCC	TCGTGATACG	CCATTTTSTA	6540
TAGGTTAATG	TCATGATAAT	AATGGTTTCT	TAGACGTCAG	GTGGCACTTT	TCGGGGAAAT	6600
GTGCGCGGAA	CCCCTATTTG	TTTATTTTTT	TAAATACATT	CAAATATGTA	TCCGCTCATG	6660
AGACAATAAC	CCTGATAAAT	GCTTCAATAA	TATTGAAAAA	GGAAGAGTAT	GAGTATTCAA	6720
CATTTCCGTG	TCGCCCTTAT	TCCCTTTTTT	GCGGCATTTT	GCCTTCCTGT	TTTTGCTCAC	6780
CCAGAAACGC	TGGTGAAAGT	AAAAGATGCT	GAAGATCAGT	TGGGTGCACG	AGTGGGTTAC	6840
ATCGAACTGG	ATCTCAACAG	CGGTAAGATC	CTTGAGAGTT	TTCGCCCCGA	AGAACGTTTT	6900
CCAATGATGA	GCACCTTTAA	AGTTCTGCTA	TGTGGCGCGG	TATTATCCCG	TATTGACGCC	6960
GGCAAGAGC	AACTCGGTGC	CCGCATACAC	TATTCTCAGA	ATGACTTGGT	TGAGTACTCA	7020
CCAGTCACAG	AAAAGCATCT	TACGGATGGC	ATGACAGTAA	GAGAATTATG	CAGTGCTGCC	7080
ATAACCATGA	GTGATAACAC	TGCGGCCAAC	TTACTTCTGA	CAACGATCGG	AGGACCGAAG	7140
GAGCTAACCG	CTTTTTTTGCA	CAACATGGGG	GATCATGTAA	CTCGCCTTGA	TCGTTGGGAA	7200
CCGGAGCTGA	ATGAAGCCAT	ACCAAACGAC	GAGCGTGACA	CCACGATGCC	TGTAGCAATG	7260
GCAACAACGT	TGCGCAAAC	ATTAACTGGC	GAAC TACTTA	CTCTAGCTTC	CCGGCAACAA	7320
TTAATAGACT	GGATGGAGGC	GGATAAAGTT	GCAGGACCAC	TTCTGCGCTC	GGCCCTTCCG	7380
GCTGGCTGGT	TTATTGCTGA	TAAATCTGGA	GCCGGTGAGC	TGGGGTCTCG	CGGTATCATT	7440
GGCGACTGG	GGCCAGATGG	TAAGCCCTCC	CGTATCGTAG	TTATCTACAC	GACGGGGAGT	7500
CAGGCAACTA	TGGATGAACG	AAATAGACAG	ATCGCTGAGA	TAGGTGCCTC	ACTGATTAAG	7560
CATTGGTAAC	TGTCAGACCA	AGTTTACTCA	TATATACTTT	AGATTGATTT	AAAAC TTCAT	7620
TTTTAATTTA	AAAGGATCTA	GGTGAAGATC	CTTTTTGATA	ATCTCATGAC	CAAAATCCCT	7680
TAACGTGAGT	TTTCGT TCCA	CTGAGCGTCA	GACCCCGTAG	AAAAGATCAA	AGGATCTTCT	7740
TGAGATCCTT	TTTTTCTGCG	CGTAATCTGC	TGCTTGCAAA	CAAAAAAACC	ACCCTACCA	7800
GCGGTGGTTT	GTTTGCCCGA	TCAAGAGCTA	CCAAC TCTTT	TTCCGAAGGT	AACTGGCTTC	7860
AGCAGAGCGT	AGATACCAAA	TACTGT TCTT	CTAGTGATGC	CTGAGTTAGG	CCACCAC TTC	7920
AGAAGACTCTG	TAGCACC GCC	TACATACCTC	GCTCTGCTAA	TCCTGTTACC	AGTGGCTGCT	7980
GCCAGTG GCG	ATAAGTCGTG	TCTTACCGGG	TTGGACTCAA	GACGATAGTT	ACCGGATAAG	8040
GCGCAGCGGT	CGGGCTGAAC	GGGGGGTTCG	TGCACACAGC	CCAGCTTGGA	GCGAACGACC	8100
TACACCGAAC	TGAGATACCT	ACAGCGTGAG	CTATGAGAAA	GCGCCACGCT	TCCCGAAGGG	8160
AGAAAGGCGG	ACAGGTATCC	GGTAAGCGGC	AGGGTCGGAA	CAGGAGAGCG	CACGAGGGG	8220
CTTCCAGGGG	GAAACGCCTG	GTATCTTTAT	AGTCCTGTGC	GGTTTCGCCA	CCTCTGACTT	8280
GAGCGTCGAT	TTTTGTGATG	CTCGTCAGGG	GGGCGGAGCC	TATGGAAAAA	CGCCAGCAAC	8340
GGATGCGCGG	CGTGCGGCTG	CTGGGAGATG	CGGAGCGGAT	GGATATGTTT	TGCCAAGGGT	8400
TGTTTTGCGC	ATTACACAGT	CTCCGCAAGA	ATTGATTGGC	TCCAATTCTT	GGAGTGGTGA	8460

Fig. 10C

ATCCGTTAGC	GAGGTGCCGC	CGGCTTCCAT	TCAGGTCGAG	GTGGCCCCGGC	TCCATGCACC	8520
GCGACGCAAC	GCGGGGAGGC	AGACAAGGTA	TAGGGCGGCG	CCTACAATCC	ATGCCAACCC	8580
GTTCCATGTG	CTCGCCGAGG	CGGCATAAAT	CCCCGTGACG	ATCAGCGGTC	CAATGATCGA	8640
AGTTAGGCTG	GTAAGAGCCG	CGAGCGATCC	TTGAAGCTGT	CCCTGATGGT	CGTCATCTAC	8700
CTGCCTGGAC	AGCATGGCCT	GCAACGCGGG	CATCCCGATG	CCGCCGGAAG	CGAGAAGAAT	8760
CATAATGGGG	AAGGCCATCC	AGCCTCGCGT	CGGGGAGCTT	TTTGCAAAAG	CCTAGGCCTC	8820
CAAAAAAGCC	TCCTCACTAC	TTCTGGAATA	GCTCAGAGGC	CGAGGCGGCC	TCGGCCTCTG	8880
CATAAATAAA	AAAAATTAGT	CAGCCATG	8908			

Fig. 10D

091095-5646660

09393796-094000
0000005626260




Fig. 11